

SAFETY DATA SHEET

Revision Date 30-Mar-2015 Issuing Date 30-Mar-2015 **Revision Number** 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name JET-LUBE® AP-1TM

Other means of identification

Product Code(s) 315

Synonyms AP-1™

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Supplier's details

Manufacturer Address

Jet-Lube, Inc. 4849 Homestead Rd.

Suite 232

Houston, Texas 77028

TEL: 713-670-5700 (7:00 a.m. - 5:00 p.m.)

Emergency telephone number

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) **Emergency Telephone**

1-800-424-9300 (NORTH AMERICA) Number

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning Hazard Statements

May be harmful if swallowed

May cause an allergic skin reaction



Appearance Amber

Physical State Semi-fluid (gel).

Odor Petroleum like

Precautionary Statements

Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.

General Advice

• Specific treatment (see supplemental first aid instructions on this label)

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

Storage

None

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

AP-1™

Chemical Name	CAS-No	Weight %	Trade secret
Residual oils (petroleum), solvent refined	64742-01-4	80-90	*
Residual oils (petroleum), solvent dewaxed	64742-62-7	80-90	*
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	10-15	*
Zinc, bis(dipentylcarbamodithioato-S,S`)-, (T-4)-	15337-18-5	<1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye ContactRinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry powder. Carbon dioxide (CO₂). Foam. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Burning produces obnoxious and toxic fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Heavy metal compounds

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate

ground water system. Prevent product from entering drains. See Section 12 for additional Ecological Information. Avoid release to the environment. Dispose of contents/container to

an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up mechanically and collect in suitable container for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Ensure adequate ventilation. Do not eat, drink or

smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place.

Incompatible Products Strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Residual oils (petroleum), solvent refined 64742-01-4	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m ³ , as oil mist, mineral	-
Residual oils (petroleum), solvent dewaxed 64742-62-7	TWA: 5 mg/m³, as oil mist, mineral STEL: TWA: 10 mg/m³, as oil mist, mineral	TWA: 5 mg/m ³ , as oil mist, mineral	-

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body ProtectionSafety glasses with side-shields.
Impervious clothing. Impervious gloves.

0 - -- : 41 -: -1 /-- -1

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

None known

A .-- I- - --

be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Semi-nuia (gei)	Appearance	Amber
Odor	Petroleum like	Odor Threshold	No information available

Property <u>Values</u> Remarks/ - Method Neutral None known pН Melting Point/Range NONE None known **Boiling Point/Boiling Range** > 315 °C None known Flash Point > 310 °C None known **Evaporation rate** No data available None known

No data available

Flammability (solid, gas) Flammability Limits in Air

upper flammability limit
lower flammability limit
Vapor Pressure

No data available
No data available
No data available

Vapor PressureNo data availableNone knownVapor DensityNo data availableNone knownSpecific Gravity0.90None knownWater SolubilityInsoluble in water.None knownSolubility in other solventsLargely.None known

Partition coefficient: n-octanol/waterNo data availableNone knownAutoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) None

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

None known. Inhalation **Eye Contact** None known.

May cause allergic skin reaction **Skin Contact**

Not an expected route of exposure. Ingestion may cause gastrointestinal irritation, nausea, Ingestion

vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Residual oils (petroleum), solvent refined	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L (Rat)4 h
Residual oils (petroleum), solvent dewaxed	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	= 2.18 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization **Mutagenic Effects** Carcinogenicity

May cause sensitization of susceptible persons. May cause sensitization by skin contact.

No information available.

The full refining history is known for this product and it can be shown that the substance from which it is produced is not a carcinogen. The table below indicates whether each

agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Residual oils (petroleum), solvent refined	A2	Group 1		X
Residual oils (petroleum), solvent dewaxed	A2	Group 1		X
Petroleum distillates, hydrotreated heavy naphthenic	A2	Group 1		Х

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 2793 mg/kg; Acute toxicity estimate

Inhalation

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Residual oils (petroleum), solvent refined 64742-01-4	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Residual oils (petroleum), solvent dewaxed 64742-62-7		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Other Adverse Effects
No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc,		X		
bis(dipentylcarbamodithioato				
-S,S`)-, (T-4)-				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Residual oils (petroleum), solvent refined				X	
Residual oils (petroleum), solvent dewaxed				X	
Petroleum distillates, hydrotreated heavy naphthenic				Х	

Zinc,		X	
bis(dipentylcarbamodithioato			
-S,S`)-, (T-4)-			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection X	

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 30-Mar-2015

Issuing Date30-Mar-2015Revision Date30-Mar-2015Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
